



Cambridge International AS & A Level

MARINE SCIENCE

9693/13

Paper 1 AS Level Theory Paper

October/November 2023

MARK SCHEME

Maximum Mark: 75

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

PUBLISHED

Question	Answer	Marks																		
1(a)(i)	<table border="1" data-bbox="728 217 1547 842"> <thead> <tr> <th data-bbox="728 217 1137 320">group</th> <th data-bbox="1137 217 1547 320">name of group for boxer crab</th> </tr> </thead> <tbody> <tr> <td data-bbox="728 320 1137 386">domain</td> <td data-bbox="1137 320 1547 386">Eukarya</td> </tr> <tr> <td data-bbox="728 386 1137 451">kingdom</td> <td data-bbox="1137 386 1547 451">Animalia</td> </tr> <tr> <td data-bbox="728 451 1137 517">phylum</td> <td data-bbox="1137 451 1547 517">Arthropoda</td> </tr> <tr> <td data-bbox="728 517 1137 582">class</td> <td data-bbox="1137 517 1547 582">Malacostraca</td> </tr> <tr> <td data-bbox="728 582 1137 647">order</td> <td data-bbox="1137 582 1547 647">Decapod</td> </tr> <tr> <td data-bbox="728 647 1137 713">family</td> <td data-bbox="1137 647 1547 713">Xanthidae</td> </tr> <tr> <td data-bbox="728 713 1137 778">genus</td> <td data-bbox="1137 713 1547 778">Lybia</td> </tr> <tr> <td data-bbox="728 778 1137 842">species</td> <td data-bbox="1137 778 1547 842">tessellata</td> </tr> </tbody> </table> <p data-bbox="322 842 1951 927">6 correct for 3 marks, 4 or 5 correct for 2 marks, 2 or 3 correct for 1 mark ... '''</p>	group	name of group for boxer crab	domain	Eukarya	kingdom	Animalia	phylum	Arthropoda	class	Malacostraca	order	Decapod	family	Xanthidae	genus	Lybia	species	tessellata	3
group	name of group for boxer crab																			
domain	Eukarya																			
kingdom	Animalia																			
phylum	Arthropoda																			
class	Malacostraca																			
order	Decapod																			
family	Xanthidae																			
genus	Lybia																			
species	tessellata																			
1(a)(ii)	<p data-bbox="322 927 1951 1129"><i>any 3 from:</i> carapace ; segmented abdomen ; jointed legs / limbs ; 2 pairs of antennae ;</p>	3																		
1(a)(iii)	<p data-bbox="322 1129 1951 1195">mutualistic / mutualism ;</p>	1																		
1(a)(iv)	<p data-bbox="322 1195 1951 1326">crab protected (from predators) by stinging cells / nematocysts ; anemone gains food (via change in location) ;</p>	2																		
1(b)	<p data-bbox="322 1326 1951 1453">commensal ; parasitic / parasitism ;</p>	2																		

PUBLISHED

Question	Answer	Marks									
2(a)(i)	12	1									
2(a)(ii)	pair of correct readings from graph ; (pair of correct readings from graph) subtracted ; m ;	3									
2(a)(iii)	6.7 (m)	1									
2(b)	Moon and Sun exert gravitational pull / force (on water) ; Moon and Sun perpendicular to Earth ; so (total) gravitational pull (on water) is <u>weakest</u> (in one direction) ;	3									
2(c)	<table border="1" data-bbox="336 683 1518 927"> <thead> <tr> <th data-bbox="336 683 763 780">factor</th> <th data-bbox="763 683 1140 780">cause height of tide to be higher than expected</th> <th data-bbox="1140 683 1518 780">cause height of tide to be lower than expected</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 780 763 853">onshore wind direction</td> <td data-bbox="763 780 1140 853">✓</td> <td data-bbox="1140 780 1518 853"></td> </tr> <tr> <td data-bbox="336 853 763 927">high air pressure</td> <td data-bbox="763 853 1140 927"></td> <td data-bbox="1140 853 1518 927">✓</td> </tr> </tbody> </table>	factor	cause height of tide to be higher than expected	cause height of tide to be lower than expected	onshore wind direction	✓		high air pressure		✓	1
factor	cause height of tide to be higher than expected	cause height of tide to be lower than expected									
onshore wind direction	✓										
high air pressure		✓									
2(d)(i)	(between the) highest and lowest <u>spring</u> tide marks ;	1									
2(d)(ii)	<i>any 2 from:</i> sandy shore(s) ; muddy shores ; estuaries ; deltas ;	2									

PUBLISHED

Question	Answer	Marks
3(a)	(J) blade(s) ; (K) gas bladder(s) ; (L) stipe ; (M) holdfast ;	4
3(b)	<i>any 2 from:</i> food ; agar ; pharmaceutical(s) / medicine(s) / drug(s) ; textiles ; paper ; (bio)fuel ; AVP ;	2
3(c)	two correct readings from graph ; subtract readings and then divide answer by harvest in 1980 $\times 100$; answer (%) ;	3
3(d)	<i>any 3 from:</i> decreases biodiversity ; loss of nursery / breeding grounds ; decreases carbon dioxide absorption ; disrupted nutrient cycles ; (increases) coastal erosion ; (increases) flooding ; decreases oxygen concentration (in water) ;	3

Question	Answer	Marks
4(a)	abyssopelagic ;	1
4(b)	thermocline ;	1

PUBLISHED

Question	Answer	Marks
4(c)	loses heat to air / atmosphere ; colder water is more dense ; OR ice formation causes (remaining) water to have higher salt (concentration) ; water with higher salt (concentration) is more dense ;	2
4(d)	<i>any 4 from:</i> (when water (at C) sinks, surface water) is replaced with water from further north ; Coriolis effect ; shape of sea bed causing currents ; (surface mixing due to) wind ; (surface mixing due to) waves ; upwelling ; more dense water sinks ORA ; run-off ; precipitation ; AVP ;;	4
4(e)	<i>any 2 from:</i> (dissolved) salt(s) ; lower the freezing point ; high (water) pressure ;	2

PUBLISHED

Question	Answer	Marks
5(a)	<p><i>any 6 from:</i> flooding ; named effect of flooding ;;; decrease in fish catch ; named effect of decrease in fish catch ;;</p>	6
5(b)	<p><i>any 6 from:</i> warmer (summer) ocean / water temperature ; lower (air) pressure ; more rain (in South America); weak / reversed (trade) winds ; current flows from west to east (Pacific, rather than east to west) ; slower / less / no upwelling ; fewer nutrients / minerals in water ; weaker, south to north / Peruvian, current ; AVP ;;</p>	6

PUBLISHED

Question	Answer	Marks
6(a)	<p><i>any 6 from:</i></p> <p>(Strengths) shows arrangement in (regular) pattern in solid / A ; shows random arrangement in liquid / B / gas / C ; shows particles touching in solid / A / liquid / B ; shows particles not touching in gas / C ;</p> <p>(Limitations) does not show movement / energy ; does not show particles (only) vibrating in solid / A ; does not show particles moving faster in liquid / B than solid / A ; does not show particles moving faster in gas / C than liquid / B ; does not show (liquid / B / gas / C) particles colliding ; does not demonstrate pressure ; shows water as a circle / 2D ; does not show water molecule structure ; does not show hydrogen bonds between water molecules ; does not show crystal structure (of ice) ; B / liquid, will take on shape of container ; C / gas, will fill the volume of the container ;</p>	6

PUBLISHED

Question	Answer	Marks
6(b)	<p><i>any 6 from:</i></p> <p>(within) bonds between hydrogen and oxygen (atoms) are covalent ; sharing electron (pair) ; oxygen (atom) has 6 electrons in outer shell, so bonds with two hydrogen (atoms) ;</p> <p>(between) hydrogen (atoms in water molecule) are slightly positive(ly charged) ; oxygen (atoms in water molecule) are slightly negative(ly charged) ; due to oxygen attracting the electrons more strongly than hydrogen ; oxygen (from one water molecule) is attracted to hydrogen (in another water molecule) ; each water molecule can form 4 hydrogen bonds ; ref. to hydrogen bonds being weaker than covalent bonds ORA ;</p>	6

PUBLISHED

Question	Answer	Marks
6(c)	<p><i>any 6 from:</i></p> <p>6 electrons and 6 neutrons and 6 protons ;</p> <p>electrons have almost no mass ;</p> <p>electrons have negative charge ;</p> <p>2 electrons in inside shell AND 4 electrons in outer shell ;</p> <p>neutrons and protons in <u>nucleus</u> ;</p> <p>neutrons neutral / no charge ;</p> <p>protons have positive charge ;</p> <p>negative charge = positive charge or no overall charge (on the atom) ;</p> <p>neutrons and protons each have (relative) mass of 1 ;</p>	6