



## Cambridge IGCSE™ (9–1)

---

**BIOLOGY**

**0970/32**

Paper 3 Theory (Core)

**May/June 2020**

MARK SCHEME

Maximum Mark: 80

---

**Published**

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

---

This document consists of **11** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

**5** 'List rule' guidance (see examples below)

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided
- Any response marked *ignore* in the mark scheme should not count towards *n*
- Incorrect responses should not be awarded credit but will still count towards *n*
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient (*a*) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7** Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Question	Answer	Marks																								
1(a)	cell membrane ;	<b>1</b>																								
1(b)	<p><i>one mark per row:</i></p> <table border="1" data-bbox="349 371 1503 935"> <thead> <tr> <th data-bbox="349 371 824 472">feature</th> <th data-bbox="824 371 1050 472">diffusion</th> <th data-bbox="1050 371 1276 472">osmosis</th> <th data-bbox="1276 371 1503 472">active transport</th> </tr> </thead> <tbody> <tr> <td data-bbox="349 472 824 536">involves movement of water only</td> <td data-bbox="824 472 1050 536"></td> <td data-bbox="1050 472 1276 536" style="background-color: #cccccc;">✓</td> <td data-bbox="1276 472 1503 536"></td> </tr> <tr> <td data-bbox="349 536 824 636">always involves movement across a partially permeable membrane</td> <td data-bbox="824 536 1050 636"></td> <td data-bbox="1050 536 1276 636">✓</td> <td data-bbox="1276 536 1503 636">(✓)</td> </tr> <tr> <td data-bbox="349 636 824 770">movement is from a higher solute concentration to a lower solute concentration</td> <td data-bbox="824 636 1050 770">✓</td> <td data-bbox="1050 636 1276 770"></td> <td data-bbox="1276 636 1503 770"></td> </tr> <tr> <td data-bbox="349 770 824 834">requires energy from respiration</td> <td data-bbox="824 770 1050 834"></td> <td data-bbox="1050 770 1276 834"></td> <td data-bbox="1276 770 1503 834">✓</td> </tr> <tr> <td data-bbox="349 834 824 935">involves the movement of both gases and solutes</td> <td data-bbox="824 834 1050 935">✓</td> <td data-bbox="1050 834 1276 935"></td> <td data-bbox="1276 834 1503 935"></td> </tr> </tbody> </table> <p style="text-align: right; margin-right: 20px;">; ; ; ;</p>	feature	diffusion	osmosis	active transport	involves movement of water only		✓		always involves movement across a partially permeable membrane		✓	(✓)	movement is from a higher solute concentration to a lower solute concentration	✓			requires energy from respiration			✓	involves the movement of both gases and solutes	✓			<b>4</b>
feature	diffusion	osmosis	active transport																							
involves movement of water only		✓																								
always involves movement across a partially permeable membrane		✓	(✓)																							
movement is from a higher solute concentration to a lower solute concentration	✓																									
requires energy from respiration			✓																							
involves the movement of both gases and solutes	✓																									
1(c)	<p><i>any three from:</i>                      mouth / nose ;                      larynx ;                      trachea ;                      bronchus / bronchi ;                      bronchioles ;                      alveolus / alveoli / alveolar wall ;                      capillary / capillary wall ;                      red blood cell ;</p>	<b>3</b>																								

Question	Answer	Marks
2(a)	<b>E ; C ; B ; C ; A ;</b>	<b>5</b>
2(b)	energy ; jelly ; fertilisation ;	<b>3</b>
2(c)(i)	mouse ;	<b>1</b>
2(c)(ii)	43 ( $\mu\text{m}$ ) ;	<b>1</b>
2(d)	horse ;	<b>1</b>

Question	Answer	Marks
3(a)(i)	maltose ;	<b>1</b>
3(a)(ii)	32 ( $\text{cm}^3$ ) ;	<b>1</b>
3(b)	increased (volume of carbon dioxide) ;	<b>1</b>
3(c)	<i>any two from:</i> bread-making ; making, alcohol / ethanol ; biofuels ; AVP ;;	<b>2</b>

Question	Answer	Marks
3(d)	<p><i>similarities:</i> both release energy ; both require glucose ; both produce carbon dioxide ;</p> <p><i>differences: ora</i> throughout anaerobic respiration does not requires oxygen ; anaerobic respiration releases less energy (per glucose molecule) ; anaerobic respiration in yeast produces ethanol ; aerobic respiration in humans produces water ;</p>	4
3(e)	glucose ; → lactic acid ;	2

Question	Answer					Marks																														
4(a)	<p><i>one mark per row:</i></p> <table border="1" data-bbox="349 823 1856 1386"> <thead> <tr> <th data-bbox="349 823 651 959">process</th> <th data-bbox="651 823 954 959">aeration</th> <th data-bbox="954 823 1256 959">removal of large solids</th> <th data-bbox="1256 823 1559 959">separates liquid waste from solid waste</th> <th data-bbox="1559 823 1856 959">uses microorganisms</th> </tr> </thead> <tbody> <tr> <td data-bbox="349 959 651 1058">production of methane</td> <td data-bbox="651 959 954 1058"></td> <td data-bbox="954 959 1256 1058"></td> <td data-bbox="1256 959 1559 1058"></td> <td data-bbox="1559 959 1856 1058">✓</td> </tr> <tr> <td data-bbox="349 1058 651 1157">screening</td> <td data-bbox="651 1058 954 1157"></td> <td data-bbox="954 1058 1256 1157">✓</td> <td data-bbox="1256 1058 1559 1157"></td> <td data-bbox="1559 1058 1856 1157"></td> </tr> <tr> <td data-bbox="349 1157 651 1256">settlement</td> <td data-bbox="651 1157 954 1256"></td> <td data-bbox="954 1157 1256 1256"></td> <td data-bbox="1256 1157 1559 1256">✓</td> <td data-bbox="1559 1157 1856 1256"></td> </tr> <tr> <td data-bbox="349 1256 651 1355">sludge treatment</td> <td data-bbox="651 1256 954 1355"></td> <td data-bbox="954 1256 1256 1355"></td> <td data-bbox="1256 1256 1559 1355"></td> <td data-bbox="1559 1256 1856 1355">✓</td> </tr> <tr> <td data-bbox="349 1355 651 1386">trickle filters OR activated sludge</td> <td data-bbox="651 1355 954 1386">✓</td> <td data-bbox="954 1355 1256 1386"></td> <td data-bbox="1256 1355 1559 1386"></td> <td data-bbox="1559 1355 1856 1386">✓</td> </tr> </tbody> </table> <p style="text-align: right; margin-top: 10px;">♦♦♦♦ ♦♦♦♦</p>					process	aeration	removal of large solids	separates liquid waste from solid waste	uses microorganisms	production of methane				✓	screening		✓			settlement			✓		sludge treatment				✓	trickle filters OR activated sludge	✓			✓	4
process	aeration	removal of large solids	separates liquid waste from solid waste	uses microorganisms																																
production of methane				✓																																
screening		✓																																		
settlement			✓																																	
sludge treatment				✓																																
trickle filters OR activated sludge	✓			✓																																

Question	Answer	Marks
4(b)	<i>any two from:</i> prevent spread of disease ; make safe for humans to use ; prevent damage to the environment ; ref. to pollution ;	2

Question	Answer	Marks																		
5(a)(i)	anther labelled ; petal labelled ; stigma labelled ;	3																		
5(a)(ii)	<i>any two from:</i> (large) petals ; stigma inside petals ; anther inside petals ; large stigma ;	2																		
5(b)	<i>one mark per row:</i> <table border="1" data-bbox="349 911 1200 1342"> <thead> <tr> <th data-bbox="349 911 775 975">feature</th> <th data-bbox="775 911 967 975">animal</th> <th data-bbox="967 911 1200 975">plant</th> </tr> </thead> <tbody> <tr> <td data-bbox="349 975 775 1038">can respire</td> <td data-bbox="775 975 967 1038">✓</td> <td data-bbox="967 975 1200 1038">✓</td> </tr> <tr> <td data-bbox="349 1038 775 1102">can grow</td> <td data-bbox="775 1038 967 1102">✓</td> <td data-bbox="967 1038 1200 1102">✓</td> </tr> <tr> <td data-bbox="349 1102 775 1166">can make their own food</td> <td data-bbox="775 1102 967 1166"></td> <td data-bbox="967 1102 1200 1166">✓</td> </tr> <tr> <td data-bbox="349 1166 775 1230">contain DNA</td> <td data-bbox="775 1166 967 1230">✓</td> <td data-bbox="967 1166 1200 1230">✓</td> </tr> <tr> <td data-bbox="349 1230 775 1342">can respond to changes in their environment</td> <td data-bbox="775 1230 967 1342">✓</td> <td data-bbox="967 1230 1200 1342">✓</td> </tr> </tbody> </table>	feature	animal	plant	can respire	✓	✓	can grow	✓	✓	can make their own food		✓	contain DNA	✓	✓	can respond to changes in their environment	✓	✓	5
feature	animal	plant																		
can respire	✓	✓																		
can grow	✓	✓																		
can make their own food		✓																		
contain DNA	✓	✓																		
can respond to changes in their environment	✓	✓																		

\*\*\*\*\*  
\*\*\*\*\*



Question	Answer	Marks										
5(c)	<i>any two from:</i> cell wall ; chloroplast ; (large) permanent vacuole ; AVP ; e.g. starch grains	2										
6(a)	electrical ; neurones ;	2										
6(b)	<table border="1"> <tbody> <tr> <td>hormone</td> <td>gland</td> </tr> <tr> <td>adrenaline ;</td> <td>adrenal</td> </tr> <tr> <td>insulin</td> <td>pancreas ;</td> </tr> <tr> <td>oestrogen</td> <td>ovary ;</td> </tr> <tr> <td>testosterone ;</td> <td>testes</td> </tr> </tbody> </table>	hormone	gland	adrenaline ;	adrenal	insulin	pancreas ;	oestrogen	ovary ;	testosterone ;	testes	4
hormone	gland											
adrenaline ;	adrenal											
insulin	pancreas ;											
oestrogen	ovary ;											
testosterone ;	testes											
6(c)	letter X drawn on one of the adrenal glands ;	1										
6(d)(i)	<i>any two from:</i> breasts grow ; hips widen ; menstruation ;	2										
6(d)(ii)	growth of hair under armpit / growth of pubic hair ;	1										

Question	Answer	Marks
7(a)	<i>any three from:</i> number of leaves increases for both ; group 1 grew more leaves ; number of leaves increases more rapidly in group 1 ; data quote with day and number of leaves ;	3

Question	Answer	Marks
7(b)	<b>A ;</b> <b>C ;</b> <b>D ;</b>	<b>3</b>
7(c)	(the) Sun ;	<b>1</b>

Question	Answer	Marks
8(a)(i)	<i>any three from:</i> paper, has highest mass / is the most recycled material, in 2012 ; cardboard, has highest mass / is the most recycled material, in 2017 ; the mass of, paper / metal / plastic, have all decreased (from 2012 to 2017) ; cardboard has increased (from 2012 to 2017) ; higher total mass of materials recycled in 2012 than 2017 ;	<b>3</b>
8(a)(ii)	46.9 (%) ;;	<b>2</b>
8(b)(i)	<i>any two from:</i> insecticides / pesticides ; herbicides ; AVP ;	<b>2</b>
8(b)(ii)	<i>any two from:</i> methane ; carbon dioxide ; AVP ;	<b>2</b>

Question	Answer	Marks
9(a)	<i>in this order vertically from the top:</i> receptor ; relay neurone ; effector / muscle / gland ;	<b>3</b>
9(b)	Reflex actions are automatic. ; Reflex actions coordinate stimuli with responses. ; Reflex actions involve the central nervous system. ;	<b>3</b>