



# Cambridge IGCSE™

---

## CHEMISTRY

0620/23

Paper 2 Multiple Choice (Extended)

May/June 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet  
Soft clean eraser  
Soft pencil (type B or HB is recommended)

---

## INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A, B, C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

## INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

---

This document has **16** pages. Any blank pages are indicated.



- 1 Which two gases will diffuse at the same rate, at the same temperature?
- A carbon monoxide and carbon dioxide
  - B carbon monoxide and nitrogen
  - C chlorine and fluorine
  - D nitrogen and oxygen
- 2 A student measures the time taken for 2.0g of magnesium to dissolve in 50 cm<sup>3</sup> of dilute sulfuric acid.

Which apparatus is essential to complete the experiment?


- 1 stop-clock
- 2 measuring cylinder
- 3 thermometer
- 4 balance

A 1, 2 and 4      B 1 and 2 only      C 1 and 4 only      D 2, 3 and 4

- 3 Which statement describes the properties of both diamond and silicon(IV) oxide?
- A They are brittle, with a low melting point, and are insoluble in water.
  - B They are hard, with a high melting point, and are electrical insulators.
  - C They are malleable, with a high melting point, and are electrical conductors.
  - D They are soft, with a low melting point, and are electrical insulators.

- 4 Paper chromatography is used to separate four different coloured inks, W, X, Y and Z, and an unknown ink T.


The chromatogram is shown.



Which inks are present in ink T?

- A** W and X      **B** W and Y      **C** X and Z      **D** Y and Z
- 5 Particle P has an atomic number of 18, a mass number of 40 and no overall charge.  
Particle Q has an atomic number of 19, a mass number of 40 and a single positive charge.
- Which statement is correct?
- A** They are isotopes of the same element.  
**B** They are both ions.  
**C** Q has more neutrons than P.  
**D** They have the same number of electrons in their outer shell.
- 6 Which statement about the properties of metals is correct?
- A** Metals are malleable because the layers of positive ions can slide over each other.  
**B** Metals conduct electricity when solid because the positive ions move freely through the metal.  
**C** Metals conduct electricity because there is a strong force of attraction between the positive ions and the delocalised electrons.  
**D** Metals have a high melting point because the positive ions attract each other strongly.

- 7 The equation for the reaction between barium chloride and dilute sulfuric acid is shown.



Which row shows the state symbols for this equation?

|          | $\text{BaCl}_2$ | $\text{H}_2\text{SO}_4$ | $\text{BaSO}_4$ | $2\text{HCl}$ |
|----------|-----------------|-------------------------|-----------------|---------------|
| <b>A</b> | (aq)            | (aq)                    | (s)             | (aq)          |
| <b>B</b> | (aq)            | (l)                     | (s)             | (aq)          |
| <b>C</b> | (l)             | (aq)                    | (s)             | (l)           |
| <b>D</b> | (aq)            | (l)                     | (aq)            | (l)           |

- 8 A 0.5 g sample of calcium carbonate is reacted with excess dilute hydrochloric acid.



Which volume of  $\text{CO}_2$  is produced at r.t.p.?


- A** 0.12 dm<sup>3</sup>      **B** 0.18 dm<sup>3</sup>      **C** 0.24 dm<sup>3</sup>      **D** 12 dm<sup>3</sup>

- 9 Aluminium is manufactured from aluminium oxide by electrolysis.

Which row shows the ionic half-equations at each electrode and describes the role of cryolite in the process?

|          | reaction at anode                                     | reaction at cathode                                   | role of cryolite            |
|----------|---|---|-----------------------------|
| <b>A</b> | $2\text{O}^{2-} \rightarrow \text{O}_2 + 4\text{e}^-$ | $\text{Al}^{3+} + 3\text{e}^- \rightarrow 3\text{Al}$ | catalyst                    |
| <b>B</b> | $\text{Al}^{3+} + 3\text{e}^- \rightarrow \text{Al}$  | $2\text{O}^{2-} \rightarrow \text{O}_2 + 4\text{e}^-$ | solvent for aluminium oxide |
| <b>C</b> | $2\text{O}^{2-} \rightarrow \text{O}_2 + 4\text{e}^-$ | $\text{Al}^{3+} + 3\text{e}^- \rightarrow \text{Al}$  | solvent for aluminium oxide |
| <b>D</b> | $\text{Al}^{3+} + 3\text{e}^- \rightarrow 3\text{Al}$ | $2\text{O}^{2-} \rightarrow \text{O}_2 + 4\text{e}^-$ | catalyst                    |

- 10 The diagram shows the electrolysis of concentrated hydrochloric acid and concentrated aqueous sodium chloride using carbon electrodes.



At which electrodes is hydrogen produced?

- A electrode 1 only  
 B electrodes 1 and 3  
 C electrode 2 only  
 D electrodes 2 and 4
- 11 Which statement about fuels is correct?
- A Coal and ethanol are examples of non-renewable energy sources.  
 B Hydrogen and oxygen can be reacted to produce an electric current.  
 C Large amounts of energy are taken in by a fuel when it burns.  
 D Radioactive isotopes are burned to produce heat.
- 12 Which row identifies a chemical change and a physical change?

|   | chemical change             | physical change             |
|---|-----------------------------|-----------------------------|
| A | boiling ethanol             | burning ethanol             |
| B | burning ethanol             | evaporating ethanol         |
| C | dissolving ethanol in water | burning ethanol             |
| D | evaporating ethanol         | dissolving ethanol in water |

13 Metal M reacts with steam and produces gas G.

Which row identifies gas G and the type of reaction when metal M reacts with steam?

|          | gas G    | type of reaction |
|----------|----------|------------------|
| <b>A</b> | hydrogen | redox            |
| <b>B</b> | hydrogen | neutralisation   |
| <b>C</b> | oxygen   | redox            |
| <b>D</b> | oxygen   | neutralisation   |

14 Which statement explains why increasing the concentration of a reactant increases the rate of the reaction?

- A** A greater proportion of the particles have the activation energy so there are more successful collisions.
- B** Particles have more energy so there are more frequent collisions.
- C** There are more particles in the same volume so there are more frequent collisions.
- D** The particles move more quickly so there are more frequent collisions.

15 Water is added to anhydrous copper(II) sulfate.


What happens during the reaction?

- A** The copper(II) sulfate turns blue and the solution formed gets colder.
- B** The copper(II) sulfate turns blue and the solution formed gets hotter.
- C** The copper(II) sulfate turns white and the solution formed gets colder.
- D** The copper(II) sulfate turns white and the solution formed gets hotter.

16 Which statement explains why lime is added to soil?

- A** to decrease the pH of acidic soil
- B** to decrease the pH of alkaline soil
- C** to increase the pH of acidic soil
- D** to increase the pH of alkaline soil

17 Sulfur dioxide is bubbled through water containing litmus.



Which row describes and explains what happens to the litmus?

|          | observation   | explanation                       |
|----------|---------------|-----------------------------------|
| <b>A</b> | it turns blue | sulfur dioxide is a basic oxide   |
| <b>B</b> | it turns blue | sulfur dioxide is an acidic oxide |
| <b>C</b> | it turns red  | sulfur dioxide is an acidic oxide |
| <b>D</b> | it turns red  | sulfur dioxide is a basic oxide   |

18 The oxides of two elements, X and Y, are separately dissolved in water and the pH of each solution tested.

| oxide tested | pH of solution |
|--------------|----------------|
| X            | 1              |
| Y            | 13             |

Which information about X and Y is correct?

|          | oxide is acidic | oxide is basic | metal | non-metal |
|----------|-----------------|----------------|-------|-----------|
| <b>A</b> | X               | Y              | X     | Y         |
| <b>B</b> | X               | Y              | Y     | X         |
| <b>C</b> | Y               | X              | X     | Y         |
| <b>D</b> | Y               | X              | Y     | X         |

19 An acid is neutralised by adding an excess of an insoluble solid base.

A soluble salt is formed.

How is the pure salt obtained from the reaction mixture?

A crystallisation → evaporation → filtration

B evaporation → crystallisation → filtration

C filtration → crystallisation → evaporation

D filtration → evaporation → crystallisation

20 Which ion forms a precipitate that dissolves in excess with both aqueous ammonia and with aqueous sodium hydroxide?

A calcium ion,  $\text{Ca}^{2+}$

B copper(II) ion,  $\text{Cu}^{2+}$

C iron(III) ion,  $\text{Fe}^{3+}$

D zinc ion,  $\text{Zn}^{2+}$

21 Elements in Group IV of the Periodic Table are shown.

carbon

silicon

germanium

tin

lead

What does **not** occur in Group IV as it is descended?

A The proton number of the elements increases.

B The elements become more metallic.

C The elements have more electrons in their outer shell.

D The elements have more electron shells.



22 W, X, Y and Z are elements in Period 3 of the Periodic Table.

The numbers of outer-shell electrons in an atom of each element are shown.

| element | number of outer-shell electrons |
|---------|---------------------------------|
| W       | 1                               |
| X       | 2                               |
| Y       | 7                               |
| Z       | 8                               |

Which elements are non-metals?

- A** W, X and Y    **B** W and X only    **C** Y and Z    **D** Z only

23 Selenium is an element in Group VI.

Group VI elements follow similar trends to Group VII elements.

Which statement about selenium is correct?

- A** It has a higher density than sulfur.  
**B** It has a lower melting point than sulfur.  
**C** It has six electron shells.  
**D** It is a monoatomic element.

24 Which row describes the properties of a typical transition element?

|          | melting point | density | used as catalyst |
|----------|---------------|---------|------------------|
| <b>A</b> | high          | high    | yes              |
| <b>B</b> | high          | low     | no               |
| <b>C</b> | low           | high    | yes              |
| <b>D</b> | low           | low     | no               |

25 Which row describes an atom of a noble gas?

|          | number of protons | number of neutrons | number of electrons |
|----------|-------------------|--------------------|---------------------|
| <b>A</b> | 2                 | 2                  | 0                   |
| <b>B</b> | 2                 | 2                  | 2                   |
| <b>C</b> | 8                 | 8                  | 8                   |
| <b>D</b> | 8                 | 8                  | 10                  |

26 Some properties of four elements, P, Q, R and S, are shown.

Solid P reacts with dilute hydrochloric acid to give hydrogen.

Solid Q does not conduct electricity.

Solid R is used to make saucepans because it is a good conductor of heat.

Solid S reacts with oxygen to form a compound where atoms of S share electrons with atoms of oxygen.

Which elements are metals?

- A** P and R      **B** P and S      **C** Q and R      **D** Q and S

27 Which substance is used to reduce zinc oxide in the manufacture of zinc?

- A** carbon  
**B** carbon dioxide  
**C** hydrogen  
**D** sulfur dioxide

28 Three metal compounds, J, K and L, are heated using a Bunsen burner.

The results are shown.

J colourless gas produced, which relights a glowing splint

K colourless gas produced, which turns limewater milky

L no reaction

Which row identifies J, K and L?

|          | J                   | K                   | L                   |
|----------|---------------------|---------------------|---------------------|
| <b>A</b> | magnesium carbonate | potassium carbonate | potassium nitrate   |
| <b>B</b> | magnesium carbonate | potassium nitrate   | potassium carbonate |
| <b>C</b> | potassium nitrate   | magnesium carbonate | potassium carbonate |
| <b>D</b> | potassium nitrate   | potassium carbonate | magnesium carbonate |

29 Nitrogen oxide, NO, is formed in the engine of petrol-powered cars.

One constituent of petrol is octane, C<sub>8</sub>H<sub>18</sub>.

Nitrogen oxide is removed from exhaust fumes by catalytic converters.

Which row identifies the reactants that produce nitrogen oxide and a reaction that removes it in a catalytic converter?

|          | reactants that produce NO     | reaction that removes NO  |
|----------|-------------------------------|---|
| <b>A</b> | octane + one gas found in air | $2\text{NO} + 2\text{CO} \rightarrow \text{N}_2 + 2\text{CO}_2$ |
| <b>B</b> | octane + one gas found in air | $\text{NO} + \text{CO}_2 \rightarrow \text{NO}_2 + \text{CO}$   |
| <b>C</b> | two gases found in air        | $2\text{NO} + 2\text{CO} \rightarrow \text{N}_2 + 2\text{CO}_2$ |
| <b>D</b> | two gases found in air        | $\text{NO} + \text{CO}_2 \rightarrow \text{NO}_2 + \text{CO}$   |

30 A magnesium block is attached to iron to prevent it from rusting.

Which statement about this method of rust prevention is correct?

- A** Magnesium corrodes instead of iron because it is more reactive.
- B** Magnesium prevents oxygen from reaching the iron.
- C** The iron does not rust because it has a greater tendency to form ions than magnesium.
- D** This method of rust prevention is called galvanising.

31 Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?


- A  $\text{Ca}(\text{NO}_3)_2$  and  $(\text{NH}_4)_2\text{SO}_4$
- B  $\text{Ca}(\text{NO}_3)_2$  and  $(\text{NH}_4)_3\text{PO}_4$
- C  $\text{KNO}_3$  and  $(\text{NH}_4)_2\text{SO}_4$
- D  $\text{KNO}_3$  and  $(\text{NH}_4)_3\text{PO}_4$

32 Which processes increase the amount of carbon dioxide in the air?

- 1 combustion of hydrogen
- 2 combustion of methane
- 3 photosynthesis by plants
- 4 thermal decomposition of limestone

- A 1 and 3      B 1 and 4      C 2 and 3      D 2 and 4

33 In the Contact process, sulfur dioxide is converted into sulfur trioxide.




What is the effect of lowering the pressure on the rate of formation and percentage yield of sulfur trioxide at equilibrium?

|          | rate of formation | percentage yield |
|----------|-------------------|------------------|
| <b>A</b> | decreases         | decreases        |
| <b>B</b> | decreases         | increases        |
| <b>C</b> | increases         | decreases        |
| <b>D</b> | increases         | increases        |

34 What are the products when limestone (calcium carbonate) is heated strongly?

- A calcium hydroxide and carbon dioxide
- B calcium hydroxide and carbon monoxide
- C calcium oxide and carbon dioxide
- D calcium oxide and carbon monoxide


35 The structure of ester W is shown.



Which row gives the names of ester W and the carboxylic acid and alcohol from which it is made?

|          | name of ester W  | carboxylic acid | alcohol  |
|----------|------------------|-----------------|----------|
| <b>A</b> | ethyl methanoate | ethanoic acid   | methanol |
| <b>B</b> | ethyl methanoate | methanoic acid  | ethanol  |
| <b>C</b> | methyl ethanoate | ethanoic acid   | methanol |
| <b>D</b> | methyl ethanoate | methanoic acid  | ethanol  |

36 The equation for the reaction between butane,  $C_4H_{10}$ , and chlorine is shown.



Which type of reaction does butane undergo when it reacts with chlorine?

- A** addition
- B** reduction
- C** acid–base
- D** substitution


37 Butene has three structural isomers which are alkenes.

Which statements about these isomers are correct?

- 1 They have the same molecular formula.
- 2 They have different numbers of bonds in the molecule.
- 3 They have a  $C=C$  bond in the structure.

- A** 1 and 2      **B** 1 and 3      **C** 2 only      **D** 3 only


38 The hydrocarbon  $C_{12}H_{26}$  is cracked to give X and Y, as shown.



Which statement is correct?

- A If X is  $C_6H_{12}$  then Y will react with aqueous bromine.
- B If X is  $C_{10}H_{22}$  then Y can be used to make a polymer.
- C If X is a hydrogen molecule then Y is an alkane.
- D X and Y could be structural isomers.

39 An ester,  $C_4H_8O_2$ , is made by reacting 0.06 mol of ethanol,  $C_2H_6O$ , and 0.05 mol of ethanoic acid,  $C_2H_4O_2$ .



0.0375 mol of the ester was made.

What is the percentage yield and the  $M_r$  of the ester?

|   | percentage yield / % | $M_r$ |
|---|----------------------|-------|
| A | 62.5                 | 48    |
| B | 75.0                 | 48    |
| C | 62.5                 | 88    |
| D | 75.0                 | 88    |

40 Which type of compound is made when a protein is hydrolysed?

- A alkene
- B amino acid
- C carboxylic acid
- D sugar

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

|                                   |                                    | Group  |  |                                    |                                     |                                    |                                     |                                     |                                       |                                      |                                      |                                    |                                      |                                    |                                     |                                  |                                  |
|-----------------------------------|------------------------------------|--|--|------------------------------------|-------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|--------------------------------------|------------------------------------|-------------------------------------|----------------------------------|----------------------------------|
| I                                 | II                                 | III  | IV                                     | V                                  | VI                                  | VII                                | VIII                                |                                     |                                       |                                      |                                      |                                    |                                      |                                    |                                     |                                  |                                  |
| 3<br><b>Li</b><br>lithium<br>7    | 4<br><b>Be</b><br>beryllium<br>9   | <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> <b>Key</b><br/>                     atomic number<br/>                     atomic symbol<br/>                     name<br/>                     relative atomic mass                 </div> |  |                                    |                                     |                                    |                                     |                                     |                                       |                                      |                                      | 2<br><b>He</b><br>helium<br>4      |                                      |                                    |                                     |                                  |                                  |
| 11<br><b>Na</b><br>sodium<br>23   | 12<br><b>Mg</b><br>magnesium<br>24 |  |  |                                    |                                     |                                    |                                     |                                     |                                       |                                      |                                      | 5<br><b>B</b><br>boron<br>11       | 6<br><b>C</b><br>carbon<br>12        | 7<br><b>N</b><br>nitrogen<br>14    | 8<br><b>O</b><br>oxygen<br>16       | 9<br><b>F</b><br>fluorine<br>19  | 10<br><b>Ne</b><br>neon<br>20    |
| 19<br><b>K</b><br>potassium<br>39 | 20<br><b>Ca</b><br>calcium<br>40   | 21<br><b>Sc</b><br>scandium<br>45  | 22<br><b>Ti</b><br>titanium<br>48      | 23<br><b>V</b><br>vanadium<br>51   | 24<br><b>Cr</b><br>chromium<br>52   | 25<br><b>Mn</b><br>manganese<br>55 | 26<br><b>Fe</b><br>iron<br>56       | 27<br><b>Co</b><br>cobalt<br>59     | 28<br><b>Ni</b><br>nickel<br>59       | 29<br><b>Cu</b><br>copper<br>64      | 30<br><b>Zn</b><br>zinc<br>65        | 31<br><b>Ga</b><br>gallium<br>70   | 32<br><b>Ge</b><br>germanium<br>73   | 33<br><b>As</b><br>arsenic<br>75   | 34<br><b>Se</b><br>selenium<br>79   | 35<br><b>Br</b><br>bromine<br>80 | 36<br><b>Kr</b><br>krypton<br>84 |
| 37<br><b>Rb</b><br>rubidium<br>85 | 38<br><b>Sr</b><br>strontium<br>88 | 39<br><b>Y</b><br>yttrium<br>89  | 40<br><b>Zr</b><br>zirconium<br>91     | 41<br><b>Nb</b><br>niobium<br>93   | 42<br><b>Mo</b><br>molybdenum<br>96 | 43<br><b>Tc</b><br>technetium<br>— | 44<br><b>Ru</b><br>ruthenium<br>101 | 45<br><b>Rh</b><br>rhodium<br>103   | 46<br><b>Pd</b><br>palladium<br>106   | 47<br><b>Ag</b><br>silver<br>108     | 48<br><b>Cd</b><br>cadmium<br>112    | 49<br><b>In</b><br>indium<br>115   | 50<br><b>Sn</b><br>tin<br>119        | 51<br><b>Sb</b><br>antimony<br>122 | 52<br><b>Te</b><br>tellurium<br>128 | 53<br><b>I</b><br>iodine<br>127  | 54<br><b>Xe</b><br>xenon<br>131  |
| 55<br><b>Cs</b><br>caesium<br>133 | 56<br><b>Ba</b><br>barium<br>137   | 57–71<br>lanthanoids   | 72<br><b>Hf</b><br>hafnium<br>178      | 73<br><b>Ta</b><br>tantalum<br>181 | 74<br><b>W</b><br>tungsten<br>184   | 75<br><b>Re</b><br>rhenium<br>186  | 76<br><b>Os</b><br>osmium<br>190    | 77<br><b>Ir</b><br>iridium<br>192   | 78<br><b>Pt</b><br>platinum<br>195    | 79<br><b>Au</b><br>gold<br>197       | 80<br><b>Hg</b><br>mercury<br>201    | 81<br><b>Tl</b><br>thallium<br>204 | 82<br><b>Pb</b><br>lead<br>207       | 83<br><b>Bi</b><br>bismuth<br>209  | 84<br><b>Po</b><br>polonium<br>—    | 85<br><b>At</b><br>astatine<br>— | 86<br><b>Rn</b><br>radon<br>—    |
| 87<br><b>Fr</b><br>francium<br>—  | 88<br><b>Ra</b><br>radium<br>—     | 89–103<br>actinoids  | 104<br><b>Rf</b><br>rutherfordium<br>— | 105<br><b>Db</b><br>dubnium<br>—   | 106<br><b>Sg</b><br>seaborgium<br>— | 107<br><b>Bh</b><br>bohrium<br>—   | 108<br><b>Hs</b><br>hassium<br>—    | 109<br><b>Mt</b><br>meitnerium<br>— | 110<br><b>Ds</b><br>darmstadtium<br>— | 111<br><b>Rg</b><br>roentgenium<br>— | 112<br><b>Cn</b><br>copernicium<br>— | 114<br><b>Fl</b><br>flerovium<br>— | 116<br><b>Lv</b><br>livermorium<br>— | —                                  | —                                   | —                                | —                                |

|             |                                     |                                   |  |                                     |                                    |                                    |                                    |                                      |                                   |                                      |                                     |                                  |                                      |                                     |                                     |
|-------------|-------------------------------------|-----------------------------------|--|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|-------------------------------------|----------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|
| lanthanoids | 57<br><b>La</b><br>lanthanum<br>139 | 58<br><b>Ce</b><br>cerium<br>140  | 59<br><b>Pr</b><br>praseodymium<br>141 | 60<br><b>Nd</b><br>neodymium<br>144 | 61<br><b>Pm</b><br>promethium<br>— | 62<br><b>Sm</b><br>samarium<br>150 | 63<br><b>Eu</b><br>europium<br>152 | 64<br><b>Gd</b><br>gadolinium<br>157 | 65<br><b>Tb</b><br>terbium<br>159 | 66<br><b>Dy</b><br>dysprosium<br>163 | 67<br><b>Ho</b><br>holmium<br>165   | 68<br><b>Er</b><br>erbium<br>167 | 69<br><b>Tm</b><br>thulium<br>169    | 70<br><b>Yb</b><br>ytterbium<br>173 | 71<br><b>Lu</b><br>lutetium<br>175  |
| actinoids   | 89<br><b>Ac</b><br>actinium<br>—    | 90<br><b>Th</b><br>thorium<br>232 | 91<br><b>Pa</b><br>protactinium<br>231 | 92<br><b>U</b><br>uranium<br>238    | 93<br><b>Np</b><br>neptunium<br>—  | 94<br><b>Pu</b><br>plutonium<br>—  | 95<br><b>Am</b><br>americium<br>—  | 96<br><b>Cm</b><br>curium<br>—       | 97<br><b>Bk</b><br>berkelium<br>— | 98<br><b>Cf</b><br>californium<br>—  | 99<br><b>Es</b><br>einsteinium<br>— | 100<br><b>Fm</b><br>fermium<br>— | 101<br><b>Md</b><br>mendelevium<br>— | 102<br><b>No</b><br>nobelium<br>—   | 103<br><b>Lr</b><br>lawrencium<br>— |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).