
Survey Map

Please be aware, that in order to preserve the scale the map, if printed, should be printed in colour onto A3 paper.





Douglas

ROADS AND PATHS	Not necessarily rights of way
Junction number Service area	Motorway (dual carriageway)
M1 Unfenced	
A 470 Dual carriageway	Primary Route (recommended through route)
A 493 Footbridge	Main road
	Road under construction
B 4518	Secondary road
A 855 Bridge B 885	Narrow road with passing places
	Road generally more than 4m wide
	Road generally less than 4m wide
	Path / Other road, drive or track
	Gradient: steeper than 20% (1 in 5), 14% to 20% (1 in 7 to 1 in 5)
	Gates, Road tunnel
Ferry P	Ferry (passenger), Ferry (vehicle)
RAILWAYS	
Track multiple or sing	gleBridges, footbridge
Track under construct	tion LC Level crossing
Siding	a Viaduct, embankment
Tunnel, cuttings	Station, (a) principal
Light rapid transit sy narrow gauge or tra	
WATER FEATURES	
Marsh or salting	Slopes Cliff
Towpath Lock	Flat rock
Aqueduct	Lighthouse (in use)
Weir Wormal tid	
	al limit Dunes Low water mark
	al limit Dunes I Low water mark Mud High water mark
Lake Footbridge Bridge	al limit Dunes 11 Low water mark Mud High water mark
Lake Footbridge Bridge EliGHTS 1 metre = 3.2808 fe Contours are at 10 m	et ROCK FEATURES
Lake Footbridge Bridge Eake Footbridge Bridge Eake Canal (dry) HEIGHTS 1 metre = 3.2808 fe 50 Contours are at 10 n vertical interval Heights are to to be point	et ROCK FEATURES
Lake Footbridge Bridge EliGHTS 1 metre = 3.2808 fe Contours are at 10 m	et ROCK FEATURES
Lake Footbridge Bridge Ended Footbridge Bridge Ended Canal (dry) HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m vertical interval Heights are to the number of the numer of the numer of the number of the number of the numbe	et ROCK FEATURES Parest a level on
Lake Footbridge Bridge Footbridge Bridge EliGHTS 1 metre = 3.2808 fe 50 Contours are at 10 m vertical interval .144 Heights are to the m metre above mean se Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to th	et ROCK FEATURES Parest a level on
Lake Footbridge Bridge Footbridge Bridge Element Canal (dry) HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m vertical interval ·144 Heights are to the m metre above mean set Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to th highest natural point of the hill	et ROCK FEATURES et ROCK FEATURES Outcrop 30 000 000 000 000 000 000 000 000 000
Lake Footbridge Bridge Eake Footbridge Bridge Eake Footbridge Bridge HEIGHTS 1 metre = 3.2808 fe 50 Contours are at 10 n vertical interval .144 Heights are to the n metre above mean see Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY	et ROCK FEATURES et ROCK FEATURES barest a level OUTHER PUBLIC ACCESS OTHER PUBLIC ACCESS OTHER route with public access (not normally shown in urban areas). Alignments are based on
Lake Footbridge Bridge Eake Footbridge Bridge HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m ·144 Heights are to the m ·144 Heights are to the m ·144 Heights are to the m ·144 Heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath	et ROCK FEATURES High water mark Mud High water mark ROCK FEATURES Outcrop Out
Lake Footbridge Bridge Footbridge Bridge Eake Footbridge Bridge HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m vertical interval .144 Heights are to the m metre above mean set Where two heights are shown the first height is to the base of the triangulatio pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway	et ROCK FEATURES High water mark Mud High water mark Mud High water mark Mud High water mark Scree Outcrop Outcrop Outcrop Scree Mud High water mark Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Other route with public access (not normally shown in urban areas). Alignments are based on the bast information available. These routes are not shown on maps of Scotland.
Lake Footbridge Bridge Eake Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3.2808 fe 50 Contours are at 10 m .144 Heights are to then metre above mean see .144 Heights are to then metre above mean see Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to the highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Restricted byway Heights show the defined route s	et ROCK FEATURES Hud High water mark Mud High water mark Provide the service of the service o
Lake Footbridge Bridge Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3·2808 fe So Contours are at 10 m ·144 Heights are to the metre above mean set Where two heights are shown the first pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Restricted byway The symbols show the defined routes sas the scale of mapping will allow. The representation on this map of any	al limit Dunes Low Water mark Mud High water mark Mud High water mark Mud High water mark metres Outcrop Barest Outcrop a level Outcrop Mud Scree Mud Scree Mud Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. ofar On-road cycle route ofar On-road cycle route other National Cycle Network number
Lake Footbridge Bridge Eake Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m ·144 Heights are to then metre above mean se ·144 Heights are to then metre above mean se Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to the highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Restricted byway Heights show the defined routes as the scale of mapping will allow.	al limit Dunes Low Water mark Mud High water mark Mud High water mark et ROCK FEATURES barest Outcrop a level Outcrop office Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. affic On-road cycle route of far On-road cycle route other Itaffic-free cycle route other Autonal Cycle Network number
Lake Footbridge Bridge Eake Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3:2808 fe 50 Contours are at 10 n ·144 Heights are to then n ·144 Footpath ·145 Footpath ·146 Bridleway ·147 Byway open to all tr The symbols show the defined routes as the scale of mapping will allow. The representation on this map of any road, track or path is no evidence of the existence of a right of way. Not shown	al limit Dunes Low Water mark Mud High water mark Mud High water mark Mud High water mark metres Outcrop Barest Outcrop a level Outcrop Mud Scree Mud Scree Outcrop Scree Mud Scree Outcrop Scree Mud High water mark Scree Outcrop Scree Scree Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. On-road cycle route On-road cycle route of far On-road cycle route of far On-road cycle Network number e National Cycle Network number e National Trail, European Long
Lake Footbridge Bridge Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3·2808 fe So Contours are at 10 m ·144 Heights are to the m metre above mean se Where two heights are shown the first pillar and the second (in brackets) to th height is to the base of the triangulatic pillar and the second (in brackets) to th height set natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Restricted byway Herepresentation on this map of any road, track or path is no evidence of th existence of a right of way. Not shown maps of Scotland Danger Area Firing and Test Range	al limit Dunes Low Water mark Mud High water mark Mud High water mark Mud High water mark metres Outcrop Barest Outcrop a level Outcrop Mud Scree Mud Scree Outcrop Scree Mud Scree Outcrop Scree Mud High water mark Scree Outcrop Scree Scree Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. On-road cycle route On-road cycle route of far On-road cycle route of far On-road cycle Network number e National Cycle Network number e National Trail, European Long
Lake Footbridge Bridge Footbridge Bridge Eake Footbridge Bridge Eake Canal (dry) HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m ·144 Heights are to the metre above mean set Where two heights are shown the first pillar and the second (in brackets) to th height is to the base of the triangulatic pillar and the second (in brackets) to th height is to the base of the triangulatic pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Footpath Bridleway Footpath Bridleway Footpath Byway open to all tr The symbols show the defined routes as the scale of mapping will allow. The representation on this map of any road, track or path is no evidence of th existence of a right of way. Not shown maps of Scotland Danger Area Firing and Test Range in the area. Danger Observe warning no	al limit Dunes Low Water mark Mud High water mark Mud High water mark Mud High water mark metres Outcrop Barest Outcrop a level Outcrop Mud Scree Mud Scree Outcrop Scree Outcrop Scree Outcrop Scree Mud Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Mud Mud Mud Scree Mud Scree Outcrop Scree Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. Offic On-road cycle route Other On-road cycle route of far On-road cycle Network number e National Cycle Network number e
Lake Footbridge Bridge Eake Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 m ·144 Heights are to the m ·144 Heights are to the m ·144 Heights are to the m ·144 Heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway ········ Bridleway ········ The symbols show the defined routes s as the scale of mapping will allow. The representation on this map of any road, track or path is no evidence of the existence of a right of way. Not shown maps of Scotland Danger Area Firing and Test Range in the area. Danger Observe warning no BOUNDARIES BOUNDARIES	al limit Dunes Low water mark Mud High water mark Mud High water mark Mud High water mark metres Outcrop Barest Outcrop alevel Outcrop metres Outcrop Commence Scree onnee OTHER PUBLIC ACCESS OTHER PUBLIC ACCESS Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. of far On-road cycle route of far On-road cycle route of far On-road cycle Network number Image: Stotland Scree Mational Cycle Network number Regional Cycle Network number Image: Stotland National Trail, European Long Distance Route, selected Recreational Routes ANTIQUITIES ANTIQUITIES
Lake Footbridge Bridge Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3-2808 fe 50 Contours are at 10 m vertical interval .144 Heights are to the m metre above mean se Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to thighest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Footpath Bridleway The symbols show the defined route s as the scale of mapping will allow. The representation on this map of any road, track or path is no evidence of the existence of a right of way. Not shown maps of Scotland Danger Area Firing and Test Range in the area. Danger Observe warning no BOUNDARIES ++ National +++ District	al limit Dunes 1 Low Water mark Mud High water mark Mud Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Outcrop Scree Mud Scree Mud Mud Mud Mud Mud Scree Outcrop Scree Other route with public access (not normally shown in urban areas). Alignments are based on the best information available. These routes are not shown on maps of Scotland. On-road cycle route On-road cycle route of far On-road cycle Network number Ites Regional Cycle Network number Ites National Trail, European Long Distance Path, Long Distance Route, s
Lake Footbridge Bridge Footbridge Bridge Example Canal (dry) HEIGHTS 1 metre = 3·2808 fe 50 Contours are at 10 n ·144 Heights are to then n ·144 Heights are to then n metre above mean see Where two heights are shown the first pillar and the second (in brackets) to th highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Restricted byway ······· Footpath The symbols show the defined routes as the scale of mapping will allow. The representation on this map of any road, track or path is no evidence of the visitence of a right of way. Not shown maps of Scotland Danger Area Firing and Test Range in the area. Danger Observe warning no BOUNDARIES +	al limit Dunes 1 Low Water mark Mud High water mark Scree Outcrop
Lake Footbridge Bridge Footbridge Bridge Image: Canal (dry) HEIGHTS 1 metre = 3·2808 fe So Contours are at 10 m ·144 Heights are to then metre above mean se Where two heights are shown the first height is to the base of the triangulatic pillar and the second (in brackets) to the highest natural point of the hill PUBLIC RIGHTS OF WAY Footpath Bridleway Restricted byway Height is no evidence of the rest of a right of way. Not shown maps of Scotland Danger Area Firing and Test Range in the area. Danger Observe warning no BOUNDARIES + + + + District	al limit Dunes 1 Low Water mark Mud High water mark Scree Outcrop

TOURIST INFORMATION			
👗 묮 🕰	Camp site / caravan site		
*	Garden		
	Golf course or links		
i I	Information centre (all year / seasonal)		
1	Nature reserve		
	Parking, Park and ride (all year / seasonal)		
X	Picnic site		
(Recreation / leisure / sports centre		
	Selected places of tourist interest		
c c	Telephone, public / roadside assistance		
	Viewpoint		
V	Visitor centre		
1	Walks / Trails		
\bigcirc	World Heritage site or area		
A	Youth hostel		

LAND FEATURES

л л л	Electricity transmission line (pylons shown at standard spacing)
>>>	Pipe line (arrow indicates direction of flow)
p ruin	
F	Buildings
~	Important building (selected)
+	Bus or coach station
*	Current or { with tower former place { of worship with spire, minaret or dome
+	Place of worship
Ø	Glass structure
H	Heliport
Δ	Triangulation pillar
Δ	Mast
ľ ľ	Wind pump, wind turbine
	Windmill with or without sails
+	Graticule intersection at 5' intervals
	Cutting, embankment
	Landfill site or slag/spoil heap
* * * *	Coniferous wood
	Non-coniferous wood
*** ***	Mixed wood
	Orchard
	Park or ornamental ground
4	Forestry Commission land
8	National Trust (always open / limited access, observe local signs)
8	National Trust for Scotland (always open / limited access, observe local signs)

ABBREVIATIONS

Br	Bridge	MS	Milestone
Cemy	Cemetery	Mus	Museum
CG	Cattle grid	Р	Post office
CH	Clubhouse	PC	Public convenience (in rural areas)
Fm	Farm	PH	Public house
Ho	House	Sch	School
MP	Milepost	TH	Town Hall, Guildhall or equivalent

Extract produced by Ordnance Survey 2016.

© Crown copyright 2013. All rights reserved.

Ordnance Survey, OS, Landranger and OS logos are registered trademarks of OS, Britain's mapping agency. Reproduction in whole or in part by any means is prohibited without the prior written permission of Ordnance Survey. **For educational use only.**