

Cambridge International Examinations

Cambridge Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

11474949

COMBINED SCIENCE

5129/22

Paper 2

October/November 2017

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



A diver uses fins to push himself through the water, as shown in Fig. 1.1.
The accelerating force on the diver produced by one kick of a fin is 15 N.
The mass of the diver is 70 kg.



Fig. 1.1

(a) Calculate the acceleration of the diver produced by one kick of a fin.

(b) The diver can see a flag above the surface of the water, as shown in Fig. 1.2.Complete Fig. 1.2 by drawing the path of one ray of light between the flag and the diver.Draw an arrow on the ray to show its direction.






Fig. 1.2

[3]

Use words or phrases from the list to complete the sentences about blood vessels.

2

Each word or phrase may be used once, more than once, or not at all.										
			away from	carbon dioxi	ide hig	her	lower	narrower		
			oxygen	thicker	thinner	towa	ards	wider		
	The	lum	en in an artery is	3		than the	lumen i	n a vein.		
	The	wal	l of an artery is		th	an the w	all of a	vein.		
	Arte	eries	carry blood		the h	eart.				
	The	bloo	od in the arteries	contains more			th	an the blood ir	ı veins.	
	The	bloo	od in veins is at a	1		pressure	e than th	ne blood in arte	eries. [5]	
3	(a)	Def	ine <i>relative atom</i>	•						
	(b)	Cal	cium reacts with	water to produc	ce calcium h	ydroxide	solution	and hydrogen	1.	
		The	e equation for the	reaction is						
			C	a + 2H ₂ O -		Ca(OH)) ₂ + H	2		
		[A _r : O, 16; Ca, 40; H, 1]								
		(i)	Calculate the re	elative molecula	r mass of ca	alcium hy	droxide			
									[1]	
		(ii)	Complete the fo	ollowing senten	ces.					
			40 g of calcium	reacts with	g of \	water and	d produc	es	g of hydrogen.	
			2g of calcium re	eacts with	g of w	ater.			[3]	
	(c)	Des	scribe a test and	the result that s	shows that c	alcium hy	ydroxide	solution is alk	aline.	
		test	t							
		res	ult							
									[2]	

4 A glass ball rolls down a long curved track, as shown in Fig. 4.1.

At point **X**, the track becomes horizontal.




Fig. 4.1

The speed of the ball is recorded between time t = 0.2s and time t = 1.2s, as shown in Table 4.1.

Table 4.1

time/s	0.2	0.4	0.6	0.8	1.0	1.2
speed cm/s	0.7	1.4	1.9	2.4	2.8	3.1

(a)	(i)	Explain why the speed of the ball is recorded, rather than the velocity of the ball.	
		[۱]
	(ii)	Describe the type of motion shown by the readings in Table 4.1.	
		[2	2]
	(iii)	Predict the speed of the glass ball at time $t = 1.4$ s.	
		[1]
(b)	Stat trac		
		[2	2]

5 The front of the eye is shown in Fig. 5.1.




Fig. 5.1

(a)	Complete Fig. 5.1 by labelling the parts A and B .							
(b)	Bright light is shone into the eye shown in Fig 5.1.							
	(i)	Describe the change in the appearance of the eye.						
			.[1]					
	(ii)	Suggest how this change protects the eye.						
			.[2]					

	_		
6	Copper	-	I
n	THUM:	18 2	meiai

Sodium chloride is an ionic compound.

(a)	Describe the arrangement and the movement of the atoms in solid copper.
	arrangement of atoms
	movement of atoms

[2]

(b) State **two** ways in which the physical properties of copper differ from the physical properties of sodium chloride.

	l	 	 	
	_			
2	2			
-		 	 	

[2]

- (c) The electronic structure of a sodium atom is 2,8,1.
 - Fig. 6.1 shows the electronic structure of a sodium ion.




Fig. 6.1 Fig. 6.2

(i) Complete Fig. 6.2 to show the electronic structure of a chloride ion. [1]

(ii) Explain the significance of the electronic structure of the sodium ion.

Question 7 begins on the next page.

7 A boat has a winch powered by an electric motor that is used to raise an anchor, as shown in Fig. 7.1.




Fig. 7.1

(a) (i) A force of 300 N is needed to raise the anchor.

The distance from the sea bed to the surface of the sea is 8.0 m.

Calculate the useful work done to raise the anchor from the sea bed to the surface of the sea.

work done = J [2]

(ii) The potential difference across the electric motor is 12 V and the current in the motor is 10 A.

The time taken to raise the anchor through 8.0 m is 25 s.

Calculate the energy transferred to the motor to raise the anchor from the sea bed to the surface of the sea.

	(iii)	Use your answers to (a)(i) and (a)(ii) to determine the energy loss in raising the anchor from the seabed to the surface of the sea.
		energy loss =J [1]
(b)	Stat	te one hazard associated with large amounts of energy transferred as heat in electric tors.
		[1]

8 A section through a leaf is shown in Fig. 8.1.




Fig. 8.1

The average number of chloroplasts for four types of leaf cells is shown in Fig. 8.2.




Fig. 8.2

(a)	(i)	Complete the following sentence.						
		The average number of chloroplasts in a lower mesophyll cell is						
		and in an upper mesophyll cell is						
	(ii)	Calculate the number of chloroplasts in a lower mesophyll cell as a percentage of the number in an upper mesophyll cell.						
		Give your answer to the nearest whole number .						
		percentage number of chloroplasts =% [1]						
	(iii)	State which type of leaf cell forms the most glucose during a sunny day.						
		Explain your answer.						
		cell						
		explanation						
		ioi						
<i>(</i> 1. \	0 1	[3]						
(b)		Is in the upper epidermis contain no chloroplasts but produce the waxy substance called cuticle.						
	Sug	ggest a function for the cuticle.						
		[1]						

9	Ethanol, C ₂ H ₅ OH, is made by the fermentation of glucose.							
	(a)	Complete the sentences about fermentation.						
		Glucose is dissolved in water and is added to the solution.						
		The mixture is left for a few days at a temperature of°C.						
		Air is not allowed to enter the fermentation container in order to prevent						
		of ethanol to ethanoic acid.						
		When the reaction is complete the ethanol is separated from the water						
		by	[4]					
	(b)	Balance the equation for the fermentation reaction.						

(c) Draw the structure of ethanol.

[1]

[1]

10 A spanner is shown next to a rule in Fig. 10.1.




Fig. 10.1

(a) Use Fig 10.1 to determine the width x of the jaws of the spanner.

$$x = \dots mm[1]$$

(b) The spanner is used to loosen a bolt.

The bolt becomes loose when a force of 25N is applied at a distance of 5.0 cm from the centre of the bolt, as shown in Fig. 10.2.




Fig. 10.2

Calculate the moment of the force about the centre of the bolt.

State the unit.

(c) The mass of the spanner is 120 g and it has a density of 7.9 g/cm³.

Calculate the volume of the spanner.

11 Fig. 11.1 shows the names of different processes carried out by a healthy body and the names of some structures.




Fig. 11.1

Complete Fig. 11.1 by drawing **one** line from each process to the structure where the process occurs.

One has been done for you. [5]

12		high temperatures, potassium can react with carbon dioxide to produce a white solid $f V$ and a ck solid $f W$.					
	(a)	Nan	ne the white solid $f V$ and the black solid $f W$.				
		whit	te solid V				
		blac	ck solid W	[2]			
	(b)	Con	mplete the sentence.				
		Dur	ing the reaction the potassium is and the carbon dioxide is				
				[1]			
	(c)		en the products of the reaction are added to water, the white solid ${f V}$ dissolves but to k solid ${f W}$ does not dissolve.	he			
		Nan	ne the process that can be used to separate the black solid from the solution.				
				[1]			
	(d)	A so	olution of white solid V turns Universal Indicator purple.				
		(i)	Suggest the pH of the solution	[1]			
		(ii)	Describe the change to the pH of the solution when dilute hydrochloric acid is added the solution.	to			
				[1]			

13	Ultr	aviol	et radiation is part of the electromagnetic spectrum.	
	(a)	Nar	me one electromagnetic wave with a shorter wavelength than ultraviolet radiation.	
				.[1]
	(b)	The	e range of wavelengths of ultraviolet radiation is 1.0×10^{-7} m to 4.0×10^{-7} m.	
		(i)	State the speed of light in a vacuum.	
			speed =m/s	[1]
		(ii)	Calculate the highest frequency of ultraviolet radiation.	
			frequency –	[2]

14	(a)	State one important feature of an enzyme.	
			[1]
	(b)	Part of the alimentary canal and associated organs are shown in Fig. 14.1.	
		C	
		Fig. 14.1	
		On Fig. 14.1, name the structures C , D and E .	[3]
	(c)	Name an organ in the body where	
		hydrochloric acid is made,	
		bile is made,	
		amylase is made.	[3]
	(d)	After digested food has been absorbed, it is assimilated.	
		Describe how the liver assimilates glucose.	

15	(a)	Des	scribe two ways in which respiration and the combustion of a hydrocarbon are the san	ne.
		1		
		2		
				[2]
	(b)	Hyc	drocarbon fuels are saturated hydrocarbons.	
		(i)	State the source of hydrocarbon fuels.	
				[1]
				
		(ii)	State the meaning of the term <i>saturated</i> .	
				F4 1

16 A radioactive source is stored in a lead-lined box, as shown in Fig. 16.1.




Fig. 16.1

(a)	(1)	name the piece of equipment used to remove safely the radioactive source from the box.
		[1]
	(ii)	Describe one other safety precaution that must be taken when removing the radioactive source from the box.
		[1]
	(iii)	State the name of the most ionising type of radiation.
		[1]
(b)		eacher uses a source of radiation, a detector and some absorbers to show that there are se different types of emission from the radioactive source.
	Des	scribe how the teacher uses the equipment.
		[3]

17	inr	ee components of a	balanced diet are carbonydrates, rats and proteins.	
	Sta	te three other comp	onents of a balanced diet.	
	1			
	2			
	3			[3]
18	Сор	oper reacts with silve	er nitrate to produce a blue solution and a solid.	
	(a)	Name the products	of the reaction.	
			and	[2]
	(b)	Zinc reacts with cop	oper(II) sulfate.	
		Zinc is extracted from	om its ore by heating with carbon.	
		Aluminium cannot b	be extracted from its ore by heating with carbon.	
		Place the elements first).	s aluminium, copper, silver and zinc in order of reactivity (most rea	ctive
		most reactive		
		least reactive		[1]

21

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	=	Z He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	IN			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium –	116	^	livermorium –
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	2			9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	lΗ	flerovium -
	=			22	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	р О	cadmium 112	80	РĜ	mercury 201	112	ű	copernicium –
										29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium –
Ğ										27	ဝိ	cobalt 59	45	R	rhodium 103	77	ľ	iridium 192	109	Ĭ	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	14	g N	niobium 93	73	<u>⊾</u>	tantalum 181	105	9	dubnium -
					atc	<u> </u>				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium
	_			က	:=	lithium 7	=	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ቷ	francium _

7.1	Γn	lutetium 175	103	Ļ	lawrencium	I
70	Υp	ytterbium 173	102	٥ N	nobelium	ı
69	Tm	thulium 169	101	Md	mendelevium	I
89	Щ	erbium 167	100	Fm	ferminm	I
29	웃	holmium 165	66	Es	einsteinium	_
99	۵	dysprosium 163	86	ŭ	californium	1
65	Tp	terbium 159	97	Ř	berkelium	1
64	Gd	gadolinium 157	96	Cm	curium	_
63	En	europium 152	95	Am	americium	-
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium -	93	dN	neptunium	_
09	PZ	neodymium 144	92	\supset	uranium	238
59	P	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	Th	thorium	232
22	Гa	lanthanum 139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).