

# Cambridge IGCSE<sup>™</sup>

# PHYSICAL SCIENCE

Paper 2 Multiple Choice (Extended)

October/November 2021 45 minutes

0652/21

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

#### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 20 pages. Any blank pages are indicated.

1 The diagram shows the movement of particles during a physical change.



Which process is represented by the diagram?

- A condensation
- B diffusion
- **C** melting
- **D** precipitation
- 2 When ammonium chloride is added to water, the mixture becomes cooler.

Which piece of apparatus is used to measure this change?

- A balance
- **B** burette
- **C** stop-clock
- D thermometer
- **3** The chromatogram obtained from an ink is shown.

The ink contains three different colours P, Q and R.



4 The table shows the electronic structure of four atoms from four different elements.

The letters shown are not the symbols of the elements.

atom	J	К	L	М
electronic structure	2,8,1	2,7	2,8	2,1

Which atoms combine with chlorine to form an ionic compound?

- A J and M B J only C K only D L and M
- **5** What is the outer electron arrangement in a molecule of ethene?







×

С

Н

С

Н

В

X

Н

С



6 Two structures X and Y are shown.



Which row is correct?

	identity of X	identity of Y	hardness	conductivity
Α	diamond	graphite	X greater than Y	X less than Y
в	diamond	graphite	X less than Y	X greater than Y
С	graphite	diamond	X greater than Y	X less than Y
D	graphite	diamond	X less than Y	X greater than Y

7 Butane gas is used as the fuel in camping stoves.

Butane burns in air to produce carbon dioxide and water. The equation is shown.

 $2C_4H_{10}\ +\ 13O_2\ \rightarrow\ 8CO_2\ +\ 10H_2O$ 

What are the volumes of oxygen used and carbon dioxide produced by burning 40 cm<sup>3</sup> of butane?

	oxygen /cm³	carbon dioxide / cm³
Α	40	80
В	40	160
С	260	160
D	260	240

8 Molten lead(II) bromide is electrolysed using inert electrodes.

Which row identifies the product and the reaction occurring at the cathode?

	product	reaction at the cathode
Α	bromine	bromide ions gain electrons
В	bromine	bromide ions lose electrons
С	lead	lead ions gain electrons
D	lead	lead ions lose electrons

9 An energy level diagram is shown.





Which change does this energy level diagram represent?

 $\mathbf{A} \quad \mathrm{C}(\mathrm{g}) \ + \ 4\mathrm{H}(\mathrm{g}) \ \rightarrow \ \mathrm{C}\mathrm{H}_4(\mathrm{g})$ 

- ${\bm B} \quad H_2(g) \ \rightarrow \ 2H(g)$
- $\label{eq:constraint} \begin{array}{ccc} \textbf{C} & CH_4(g) \ + \ 2O_2(g) \ \rightarrow \ CO_2(g) \ + \ 2H_2O(g) \end{array}$
- $\label{eq:def_def_def} \begin{array}{cc} \textbf{D} & H_2O(g) \ \rightarrow \ H_2O(l) \end{array}$
- 10 Which change decreases the rate of reaction between lumps of zinc and dilute sulfuric acid?
  - A Add a suitable catalyst.
  - **B** Add water to the acid.
  - **C** Break the lumps of zinc into smaller pieces.
  - **D** Use a higher temperature.
- 11 Which type of substance accepts protons?
  - A acid
  - B base
  - C oxidising agent
  - D reducing agent

**12** Substances P and Q are oxides.

Substance P reacts with carbon dioxide, but it does not react with sodium oxide.

Substance Q reacts with both carbon dioxide and sodium oxide.

Which row identifies the two types of oxide?

	Р	Q	
Α	acidic	amphoteric	
в	acidic	neutral	
С	basic	amphoteric	
D	basic	neutral	

**13** A gas is tested as shown.

test	observation
lighted splint is placed in the gas	lighted splint goes out
damp red litmus paper is placed in the gas	red litmus paper turns blue
gas is passed through limewater	limewater is colourless

What is the gas?

- A ammonia
- B carbon dioxide
- **C** chlorine
- D hydrogen
- 14 Which statement about the Periodic Table is correct?
  - A Elements with the highest number of electrons in their outer shell are the most non-metallic.
  - **B** Non-metallic elements react by losing their outer shell electrons.
  - **C** The elements with the largest group number are the best electrical conductors.
  - **D** The group number is the total number of electron shells.

	melting point /°C	$\frac{\text{density}}{\text{g/cm}^3}$	colour of compounds
Α	-210	0.0011	one oxide is brown, but most compounds are colourless
В	98	0.97	all the compounds are white
С	328	11.34	the iodide is yellow, but most compounds are white
D	1535	7.86	most compounds are either green or brown

**15** Which row describes the properties of a transition element?

**16** Four different metals W, X, Y and Z are added to solutions of their metal nitrates.

The results are shown.

metal added	W nitrate X nitrate Y nitrate Z nitrate				
W		1	x	x	key
Х	X		x	x	✓ = reacts
Y	$\checkmark$	1		x	$\boldsymbol{x}$ = no reaction
Z	$\checkmark$	$\checkmark$	$\checkmark$		

What is the order of reaction?

	least rea	ctive –	→ most	t reactive
Α	х	W	Y	Z
в	Х	Y	W	Z
С	Z	W	Y	х
D	Z	Y	W	Х

- **17** Which equation represents a reaction where pollutant gases are removed by a catalytic converter?
  - **A**  $CO_2$  + C  $\rightarrow$  2CO
  - $\textbf{B} \quad 2CO \ \textbf{+} \ 2NO \ \rightarrow \ 2CO_2 \ \textbf{+} \ N_2$
  - $\textbf{C} \quad 3\text{CO} \ \textbf{+} \ \text{Fe}_2\text{O}_3 \ \rightarrow \ 3\text{CO}_2 \ \textbf{+} \ 2\text{Fe}$
  - $\textbf{D} \quad 2CO_2 \ \textbf{+} \ N_2 \ \rightarrow \ 2CO \ \textbf{+} \ 2NO$

- 18 Which process does not produce carbon dioxide?
  - **A** an acid reacting with a carbonate
  - B burning coal
  - **C** burning hydrogen
  - **D** respiration
- **19** The fractional distillation of petroleum is shown.

From which position is methane obtained?



**20** The diagram shows a two-step reaction scheme.



What are the names given to reaction 1 and reaction 2?

	reaction 1	reaction 2
Α	cracking	addition
В	cracking	fermentation
С	polymerisation	addition
D	polymerisation	fermentation

- 21 How is the velocity of a moving object related to its speed?
  - A Its speed has the same magnitude as its velocity but its speed also has direction.
  - **B** Speed is equal to the rate of change of velocity.
  - **C** Its velocity has the same magnitude as its speed but its velocity also has direction.
  - **D** Velocity is equal to the rate of change of speed.
- 22 An object falls vertically at a constant speed in air.

Which statement about the forces on the object is correct?

- **A** Air resistance is the only force acting on the object.
- **B** The magnitude of the air resistance acting on the object is equal to the weight of the object.
- **C** The magnitude of the air resistance acting on the object is greater than the weight of the object.
- **D** The magnitude of the air resistance acting on the object is less than the weight of the object.



**23** The diagrams show a steel spring and a graph of its length against the load applied to it.

What is the extension of the spring when a load of 20 N is applied to it?

Α	3.0 cm	в	3.5 cm	С	5.0 cm	D	8.0 cm
	0.0 0111		0.0 0111	•	0.0 0111		0.0 0111

24 The diagram shows one of four cubes resting on a horizontal surface.



The weight and length of side of each of the four cubes are shown in the table.

Which cube exerts the greatest pressure on the surface?

	weight/N	length of side/cm
Α	2.0	4.0
в	4.0	2.0
С	6.0	10.0
D	8.0	8.0

- 25 Which energy does an object possess due to its motion?
  - **A** elastic (strain)
  - **B** gravitational potential
  - **C** kinetic
  - **D** thermal
- 26 An engineer needs to fit an iron bar into a gap in an iron base.



At room temperature, the bar is slightly too big to fit into the gap.

How can the engineer make the bar fit into the gap?

- A Cool the bar and heat the base.
- **B** Cool the base and cool the bar to the same temperature.
- **C** Cool the base and heat the bar.
- **D** Heat the base and heat the bar to the same temperature.



A second thermometer has a narrower capillary bore and a different scale, but contains the same volume of liquid and is the same length.

Which row compares the second thermometer with the first thermometer?

	range of second thermometer	sensitivity of second thermometer								
Α	greater	greater								
В	greater	less								
С	less	greater								
D	less	less								

**28** Four copper plates of the same size and shape are placed in bright sunshine.

The plates have different surfaces and different colours.

Which plate absorbs radiation from the Sun at the lowest rate?

- A dull, black surface
- B dull, white surface
- **C** shiny, black surface
- **D** shiny, white surface
- 29 The diagram represents a wave. The wave travels at a speed of 20 cm/s.



What is the frequency of the wave?

**A** 5.0 Hz **B** 10 Hz **C** 40 Hz **D** 80 Hz

**30** The diagram shows two rays of light P and Q passing from air into glass.



The angles of incidence of P and Q are  $i_{P}$  and  $i_{Q}$ .

The angles of refraction of P and Q are  $r_{\rm P}$  and  $r_{\rm Q}$ .

Which row compares the angles of incidence and compares the angles of refraction of rays P and Q?

	angles of incidence	angles of refraction
Α	$i_{\rm P}$ bigger than $i_{\rm Q}$	$r_{\rm P}$ bigger than $r_{\rm Q}$
В	$i_{\rm P}$ bigger than $i_{\rm Q}$	$r_{\rm P}$ smaller than $r_{\rm Q}$
С	$i_{\rm P}$ smaller than $i_{\rm Q}$	$r_{\rm P}$ bigger than $r_{\rm Q}$
D	$i_{\rm P}$ smaller than $i_{\rm Q}$	$r_{\rm P}$ smaller than $r_{\rm Q}$

**31** A converging lens of focal length 15 cm is used as a magnifying glass to produce a virtual, magnified image.

What is a possible position of the object?

- **A** 8.0 cm from the lens
- **B** 16 cm from the lens
- **C** 32 cm from the lens
- **D** 64 cm from the lens
- **32** Which row shows how, in a vacuum, the speed of radio waves and the speed of X-rays compare with the speed of light?

	speed of radio waves	speed of X-rays
Α	greater than light	less than light
В	the same as light	greater than light
С	less than light	greater than light
D	the same as light	the same as light

- 33 Which frequency is outside the range of audible frequencies for a healthy human ear?
  - **A** 30 Hz **B** 300 Hz **C** 3000 Hz **D** 30 000 Hz
- 34 The diagram shows two light plastic balls suspended by insulating threads from a support.



Which statement is an explanation of why the plastic balls hang apart from each other?

- **A** The balls have like charges.
- **B** One ball is charged; the other is uncharged.
- **C** The balls have unlike charges.
- **D** Both balls are uncharged.
- **35** A charger for a mobile phone (cell phone) produces a current of 50 mA for 30 minutes.

How much charge passes through the charger?

Α	1.5C	В	90 C	<b>C</b> 1500 C	D	90 000 C
---	------	---	------	-----------------	---	----------

**36** A copper wire has resistance of  $8.0 \Omega$ .

The wire is melted and made into a new wire with twice the original length and half the original cross-sectional area.

What is the resistance of the new wire?

- **A**  $4.0\Omega$  **B**  $8.0\Omega$  **C**  $16\Omega$  **D**  $32\Omega$
- **37** An electric kettle is connected to a 240 V supply.

It takes 5.0 minutes to transfer 580 kJ of energy.

What is the current in the kettle?

**A** 0.48A **B** 2.1A **C** 8.1A **D** 12A

**38** A student investigates how the current in a resistor R varies with the voltage across it.

Which circuit does the student use?



- 39 What is the difference between alternating current (a.c.) and direct current (d.c.)?
  - **A** a.c. changes direction but d.c. does not.
  - **B** a.c. causes a magnetic field but d.c. does not.
  - **C** a.c. transfers energy in a resistor but d.c. does not.
  - **D** a.c. has a constant magnitude but d.c. does not.



40 The graph shows the decay curve for one particular radioactive isotope.

**A** 1.0 day **B** 1.5 days **C** 2.0 days **D** 2.5 days

# **BLANK PAGE**

# **BLANK PAGE**

18

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	<pre>NIII</pre>	He <sup>2</sup>	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon -				
	١١٨			6	ш	fluorine 19	17	C1	chlorine 35.5	35	Ъ	bromine 80	53	п	iodine 127	85	At	astatine -				
	١٨			8	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ро	polonium –	116	L<	livermorium -	-
	>			7	z	nitrogen 14	15	۵.	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209				-
	$\geq$			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	11	flerovium -	
				5	ш	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				
			I							30	Zn	zinc 65	48	Cq	cadmium 112	80	Hg	mercury 201	112	C	copemicium -	-
										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -	-
dno										28	ïZ	nickel 59	46	Pd	palladium 106	78	Ъ	platinum 195	110	Ds	darmstadtium _	
Gro										27	co	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium 	
		- T	hydrogen 1							26	Fе	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -	
			Key				_			25	Мn	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium —	
				-		ass				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	$\geq$	tungsten 184	106	Sg	seaborgium 	
				atomic number	mic sym	name ative atomic ma				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium —	
					ato	relé				22	i	titanium 48	40	Zr	zirconium 91	72	Hf	hafnium 178	104	Ŗ	rutherfordium —	
										21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids		
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium -	
	_			3		lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ľ	francium -	

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

Lr lawrencium

mendelevium

califomium

71 Lu Iutetium 175 103

70 Yterbium 173 102 No nobelium

69 101 101 Md

68 Erbium 167 167 167 167 Emium

67 Ho holmium 165 99 ES

66 dysprosium 163 98 Cf

65 Tb 159 97 97 berkelium

 ${}^{64}$ 

63 Eu 152 95

61 Pn romethium

> eodymium 144

praseodymiu 141

58 Centum 140 90 90 90 232 232

<sup>00</sup> Nd

**P** 59

57 La lanthanum 139

lanthanoids

62 Samarium 150 94 94 Pu

157 157 96 CM curium

> Am americium

93 Np eptunium

> uranium 238

 $\Box$  32

91 Pa protactinium 231

89 AC actinium

actinoids

20