

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

PHYSICS 0625/43

Paper 4 Theory (Extended)

May/June 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.
- Take the weight of 1.0 kg to be 10 N (acceleration of free fall = $10 \,\mathrm{m/s^2}$).

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].

This document has 16 pages. Any blank pages are indicated.

A ba	atter	y provides energy to an electric car.
(a)		e electric car has an acceleration of $2.9\mathrm{m/s^2}$ when it moves from rest. e combined mass of the car and its driver is $1600\mathrm{kg}$.
	(i)	Calculate the time taken to reach a speed of 28 m/s.
		time =[2]
	(ii)	Calculate the force required to produce this acceleration.
		force =[2]
	(iii)	Calculate the kinetic energy of the car when its speed is 28 m/s.
		kinetic energy =[2]
(b)		e time taken for the car battery to be recharged from zero charge to full charge is 8.3 h. e charge is delivered to the battery by a charger with a current of 32A.
	Cal	culate the charge supplied by the charger.
		charge =[3]
(c)		der ideal conditions, the car can travel a maximum distance of 390 km when the battery is \prime charged.
	Sug	gest why, in normal use, the car needs to be recharged after travelling less than 390 km.
		[1]
		[Total: 10]

2

Wa	ter is	held behind a dam in a hydroelectric power scheme.
(a)	Sta	te the main form of energy stored in the water behind the dam.
		[1]
(b)	The	water is released from the dam and falls a vertical height of 410 m at a rate of 480 kg/s.
	(i)	Calculate the rate at which energy is transferred by the falling water.
		rate of energy transfer =[3]
	(ii)	The power scheme supplies a current of 270A at a voltage of 6000 V.
		Calculate the efficiency of the power scheme.
		rr ·
		efficiency =% [3]
(c)		Iroelectric energy is a renewable form of energy.
	(i)	State one disadvantage of hydroelectric power schemes.
		[1]
	(ii)	State one other renewable source of energy.
		[1]
		[Total: 9]

3 (a) Fig. 3.1 shows a boat stored in a shed. The boat is suspended from the ceiling of the shed by two ropes.




Fig. 3.1

The tension T in each of the ropes is 75 N.

(i) Draw a vector diagram to determine the resultant of the forces exerted by the two ropes on the boat. State the scale you used.

scale =		
magnitude of resultant force =		
direction of resultant force =	[2	1]

(ii) Determine the ma	ass of the boat.
-----------------------	------------------

mass =	1
11100	٠.

(b) Force is a vector.

Draw a circle around **two** other quantities in the list which are vectors.

acceleration	density	energy	mass	
momentum	power	refractive i	ndex	
				[2]

[Total: 7]

4 (a) Fig. 4.1 shows apparatus used to observe the motion of smoke particles (Brownian motion).




Fig. 4.1

The glass cell has light shining on it from the side.

The smoke particles are seen as bright specks of light when looking through the microscope.

(i) Draw the path of **one** of the bright specks of light.

	(ii)	Explain, in terms of forces and the motion of air molecules, the cause of the motion of the smoke particles.
		[4]
(b)	The	temperature of the air in a sealed glass container is increased.
	(i)	Explain, in terms of molecules, why the internal energy of the air increases.
		[1]
	(ii)	Explain, in terms of molecules, why the pressure of the air also increases.
		[2]

[Total: 9]

[2]

			•
5	(a)	Def	ine specific heat capacity.
			[2]
	(b)	a fr	owl contains 500 cm ³ of water at a temperature of 5.0 °C. The bowl of water is placed in eezer for several hours. When the bowl is removed from the freezer, it contains ice at a perature of –18.0 °C. The density of water is 1000 kg/m ³ .
		(i)	Calculate the mass of water in the bowl when it is placed in the freezer.
			mass = [2]
		(ii)	The specific heat capacity of water is $4200\mathrm{J/(kg^\circ C)}$. The specific heat capacity of ice is $2100\mathrm{J/(kg^\circ C)}$. The specific latent heat of fusion of water is $3.3\times10^5\mathrm{J/kg}$.
			Calculate the energy given out as the water cools from 5.0 °C to ice at –18.0 °C.
			oporqu =
			energy =[5]
			[Total: 9]

6 (a) (i) Fig. 6.1 shows crests of a plane water wave approaching a barrier with a gap.




Fig. 6.1

On Fig. 6.1, draw three crests of the water wave to the right of the barrier.

(ii) Fig. 6.2 shows crests of a plane water wave in deep water approaching a region of shallow water.

[2]

[2]




Fig. 6.2

The water wave moves more slowly in shallow water.

On Fig. 6.2, draw:

1. three crests of the water wave in the shallow water

2. the direction of travel of the wave in the shallow water. [1]

(b)	Stat	te two ways in which transverse waves differ from longitudinal waves.
	1	
		[2]
(c)	(i)	State a typical value of the speed of sound in water.
		[1]
	(ii)	Explain why sound travels faster in water than in air.
		[1]
		[Total: 9]

7 (a) Fig. 7.1 shows a plan view of a room. There is a plane mirror on one wall and a picture across the whole of wall AB.




Fig. 7.1 (plan view)

A person is standing at point X and is looking at the mirror. The person cannot see all of the picture on wall AB reflected in the mirror.

There is a point P on wall AB which is the closest point to A that the person can see reflected in the mirror.

On Fig. 7.1, draw a reflected ray and an incident ray to show the position of the point P. [2]

(b)	State two properties of the image formed by the mirror.	
	1	
	2	[2 ¹

(c) Visible light is an electromagnetic wave.

State the name of **one** region of the electromagnetic spectrum in which the waves have:

(i) shorter wavelengths than visible light

.....[1]

(ii) longer wavelengths than visible light.

......[1]

[Total: 6]

8 (a) Fig. 8.1 shows a circuit.




	Fig. 8.1	
(i)	State the name of component X.	
		[1]
(ii)	The potential difference (p.d.) across component Y is measured with a voltmeter.	
	On Fig. 8.1, draw the symbol for the voltmeter and its connections to the circuit.	[1]
(iii)	The electromotive force (e.m.f.) of the battery is 12 V.	
	Component Y has a resistance of 400Ω .	
	In a brightly lit room, the resistance of component X is 350Ω .	
	1. Calculate the current in the circuit.	
	current =	[2]
	2. Calculate the p.d. across component Y.	
	p.d. =	[1]
(iv)	In a dark room, the resistance of component X is very large.	
	State the effect this will have on the p.d. across component Y.	
		[1]
(b) Su	ggest a practical use for component X.	
		[1]

9 (a) Fig. 9.1 shows a magnet on the end of a spring and a coil of wire connected to a sensitive centre-zero galvanometer. The magnet can move freely through the coil.




Fig. 9.1

(i) The magnet is pulled down and released.

	Describe and explain what happens to the needle of the sensitive galvanometer.	
		[4]
(ii)	The magnet is replaced with a stronger magnet.	
	State the effect of using a stronger magnet on what happens to the needle of galvanometer.	the
		[1]

(b)	A step-up transformer is used to step up the output voltage of a power station from 25 000 V to 400 000 V for transmission along power lines.
	The number of turns on the secondary coil is 36 000.
	Calculate the number of turns on the primary coil.
	number of turns =[2
	[Total: 7

10 A student places a sample of an isotope of protactinium (Pa-234) near a radiation detector. The readings on the detector, taken every 20 s, are recorded in Table 10.1.

Table 10.1

time/s	count rate counts/min
0	101
20	88
40	76
60	66
80	58
100	51
120	46
140	42
160	38
180	35

Fig. 10.1 shows a graph of the count rate due to this sample against time.




Fig. 10.1

(a) Explain why the readings in Table 10.1 are **not** the same as those plotted on the graph.

(b) Using the graph in Fig. 10.1, determine the half-life of this isotope of protactinium.

	half-life =s [2]
(c)	The nuclide notation for this isotope of protactinium is $^{234}_{91}Pa$.
	Protactinium-234 decays to an isotope of uranium (U) by β -emission.
	Write down the nuclide equation for this decay of protactinium-234.

[3]

[Total: 7]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.